

# ELEVATOR STAKEHOLDERS MEETING

Wednesday – May 20, 2014 – 9:30 A.M.

Division of Building Safety  
1090 E Watertower Dr Ste 150, Meridian, Idaho

*NOTE: The following report is not intended to be a verbatim transcript of the discussions at the meeting, but is intended to record the significant features of those discussions.*

The meeting was called to order by Gary Barnes, Elevator Program Supervisor at 9:42 a.m.

## ◆ Presentation – Gary Barnes – Elevator Program Supervisor

*Please see presentation regarding specifics to the items discussed.*

No New Rules where Updated

Mechanics Licensing was introduced during this legislative cycle but was never printed

New codes will not be adopted this year

New codes will go thru Negotiated Rulemaking

-Comments will be made available to the public

A17.1-2013 Major Changes – *Please see PowerPoint*

Wind Farms – New Code upcoming out to address these (A17.8)

MCP – Maintenance Control Plans

1. MCP's are required by our adopted code
2. Onsite requirements are a must and may not be taken away when there is a service company switch. They belong to the owner of the elevator.
3. No one size fits all but all companies need to work towards having one for each elevator
4. Enforcement is moving forward slowly

Projectdox – Our new online plan review system has been upgraded

## ◆ Questions

Does the State of Idaho have a process/requirement for reporting personal injuries from an elevator or major accident on the equipment of an elevator?

**Answer:** The State has a process for reporting injuries that result in immediate medical attention on site, one or more days of loss of work or hospitalization. There is no process in place to report major accidents to equipment but the division encourages elevator companies and owners to make use aware.

**Meeting Closed at 10:27 a.m.**