


DIVISION OF BUILDING SAFETY

IDAHO PLUMBING BOARD
VIDEOCONFERENCE MEETING

SEPTEMBER 20, 2018



IDAHO PLUMBING BOARD

Agenda Item No. 01

Agenda and Minutes

PRESENTER: Matt Gardner, Chairman

OBJECTIVE: Approve the Idaho Plumbing Board's September 20, 2018 agenda and June 7, 2018 draft minutes.

ACTION: Consent

BACKGROUND:

PROCEDURAL HISTORY:

ATTACHMENTS: Tentative Agenda and Draft Minutes



TENTATIVE AGENDA

NOTICE OF PUBLIC MEETING

IDAHO PLUMBING BOARD VIDEOCONFERENCE MEETING

**Division of Building Safety
1090 East Watertower Street, Suite 150, Meridian
1250 Ironwood Drive, Suite 220, Coeur d'Alene
2055 Garrett Way, Building 1, Suite 4, Pocatello
dbs.idaho.gov - (208) 332-7137**

**Thursday, September 20, 2018
9:30 a.m. – 1:30 p.m. (MDT)**

(Note: North Idaho – Meeting Commences @ 8:30 a.m. PDT)

9:30 a.m. CALL TO ORDER – Matt Gardner, Chairman

- Roll Call & Introductions
- Open Forum
 - City and County Concerns

CONSENT AGENDA

1. Approval of the September 20, 2018 Agenda and June 7, 2018 Board Meeting Minutes – Matt Gardner

ACTION AGENDA

2. Schedule 2019 Board Meetings – Matt Gardner

INFORMATIONAL AGENDA

3. Practical Exam – Rick Garrett, Board Member
4. Contractor Testing – Adam Bowcutt, Regional Supervisor
5. C.E. Broker – Amy Kohler
6. Program Manager Report – Adam Bowcutt
7. Compliance Program Report – Amy Kohler
8. Administrator Report – Chris L. Jensen, Administrator
 - a. Financial Report

1:30 p.m. ADJOURN

For additional agenda information, refer to the packet, available one week prior to this meeting, at the DBS's central and regional offices and <https://dbs.idaho.gov/boards/pboard/pbmeetings.html>. All times, other than beginning, are approximate and scheduled according to Mountain Daylight Time (MDT), unless otherwise noted. Agenda items may shift depending on the Idaho Plumbing Board's preference. 08/16/2018r

**IDAHO PLUMBING BOARD
VIDEOCONFERENCE MEETING**

Thursday – June 7, 2018 – 9:30 a.m. (MDT)

**Division of Building Safety
1090 East Watertower Street, Suite 150, Meridian
1250 Ironwood Drive, Suite 220, Coeur d'Alene
2055 Garrett Way, Building 1, Suite 4, Pocatello**

***DRAFT MINUTES OF THE JUNE 7, 2018 MEETING**

NOTE: The following report is not intended to be a verbatim transcript of the discussions at the meeting, but to record the significant features of those discussions.

Chairman Matt Gardner called the meeting to order at 9:30 a.m. (MDT)

Board Members Present:

Matt Gardner, Chairman
Gilbert Pond, Vice-Chairman
Rick Garrett
Shaun Urwin
Debbie Oberhofer

DBS Staff Members Present:

Chris L. Jensen, Administrator – Teleconference
Ron Whitney, Deputy Administrator
Spencer Holm, Deputy Attorney General
John Nielsen, Plumbing Program Manager
Larry Jeffres, Regional Manager, Region 1
Jeff Egan, Regional Manager, Region 3
Chuck Knapp, Regional Supervisor, Region 1
Adam Bowcutt, Regional Supervisor, Region 3
Amy Kohler, Compliance Program Specialist
Renee Bryant, Administrative Assistant 2

- ◆ **CEU Credit** – Continuing education unit's (CEU) are available to eligible individuals attending Plumbing Board meetings.
- ◆ **Open Forum**
There were no new issues to address during open forum.

City and County Concerns – There were no new issues to address during open forum.

- ◆ **Approval of the June 7, 2018 Agenda**

MOTION: Gilbert Pond made a motion to accept the agenda as presented. Shaun Urwin seconded. All in favor, motion carried.

- ◆ **Approval of the March 29, 2018 Minutes**

MOTION: Rick Garrett made a motion to approve the minutes as written. Shaun Urwin seconded. All in favor, motion carried.

- ◆ **Negotiated Rulemaking/Public Hearing--ISPC Table 501.1(1) First Hour Rating**

With the lowering of numbers for first hour rating of water heaters, Plumbing Program Manager John Nielsen recommended adopting the new table, 5051.1(1), in chapter five of the Idaho State Plumbing Code (ISPC).

MOTION: Debbie Oberhofer made a motion to accept Table 501.1(1), *First Hour Rating*. Gilbert Pond seconded. All in favor, motion carried.

◆ **Negotiated Rulemaking/Public Hearing--Code Changes**

This has been a controversial topic as it pertains to the location of a cleanout from a crawl space access of 20 feet to five feet under the floor in new residential homes.

A letter by Craig Hammett, President of Building Contractors Association of Southwestern Idaho, Inc. was included in the packet. Mr. Hammett requested code section 707.9 be amended back to the original language to read, “No under-floor cleanout shall be located exceeding 20 feet from an access door, trap door, or crawl hole.”

The Board has met the negotiated rulemaking requirements; therefore, exact language for the code change is not necessary at this time. The Board can make a motion to accept a change to this rule, as determined by the Plumbing Program Manager, for submittal to the Governor’s office by the middle of August 2018.

MOTION: Rick Garrett made a motion to accept the negotiated rule change in the code with regard to cleanouts, and actual language determined later. Shaun Urwin seconded. All in favor, motion carried.

Posted to the Division’s website will be the proposed language, as well as e-mailed to building contractors for written comments.

ACTION: The Plumbing Program Manager will place the proposed language to the Division’s website, and e-mail it to building contractors.

◆ **Negotiated Rulemaking/Public Hearing--Annual Testing on Residential Sprinklers**

At the 2018 legislative session, Representative Lance Clow brought forth a concurrent resolution to eliminate annual testing of backflow devices. Also targeted was the Department of Environmental Quality’s (DEQ) rules; however, there will be no changes to the testing requirements at this time.

Board Member Gilbert Pond considers this is a water issue and the devices need tested on an annual basis.

MOTION: Gilbert Pond made a motion to leave the code the way it is. Debbie Oberhofer seconded. All in favor, motion carried.

◆ **Compliance--Disciplinary Actions**

The issue was resolved prior to the meeting; therefore, no action was required.

◆ **Negotiated Rulemaking/Public Hearing--ISPC Section 603.5.12 Beverage Dispensers**

As a reminder, the Board has met the negotiated rulemaking requirements, and the proposed changes to section 603.5.12 *Beverage Dispensers* in the 2017 ISPC will move forward to the 2019 legislature.

◆ **Contractor Testing**

The current plumbing contractor exam is four hours, open book, and consists of business questions only. The Plumbing Program Manager asked for further direction on this issue.

Suggestions were: 1) Have some business questions, 2) Some business but more in-depth/advanced code and plumbing knowledge, 3) Two-part test, 100 plumbing code questions with select business questions, 4) 50% code and 50% business, 5) Two tests, three hours plumbing and one hour business; 6) Four hours of code and two hours of business, 7) Create master plumber license; and 8) Four-hour master plumber exam and two-hour business exam.

The Board agreed the contractor exam needs both code and business questions. The Plumbing Program Manager will leave the current exam as is and bring details on the plumbing side to the September meeting.

ACTION: The topic *Contractor Testing* will be added to the September Board meeting agenda as an informational item.

◆ **C.E. Broker**

C.E. Broker continues to post Idaho approved CEU courses to its website. A first time user expressed the following concerns: 1) Individual, not provider, submitting certificate of course completion; 2) Typically takes 48 hours to post to account; 3) Individual pays for own transcript; and 4) Prior completed courses not recognized by C.E. Broker.

The Chairman asked the Division to investigate into simplifying the CEU process, and bring any findings to the September Board meeting.

ACTION: The topic *C.E. Broker* will be added to the September Board meeting agenda as an informational item.

◆ **Program Manager Report**

Training – Plumbing Program Manager Nielsen is traveling throughout the state of Idaho, holding meetings to discuss the requirements for the Manual S, J, and D reports on new residential HVAC permits. The new process becomes effective January 1, 2019.

Committee – In May, the Program Manager attended the International Association of Plumbing and Mechanical Officials Technical Committee meeting in California. The primary discussion was on the 2021 Uniform Plumbing Code. There were no spectacular changes to address.

◆ **Compliance Program Report**

Plumbing NOV Activity Report – For easier viewing, the pie chart was replaced with a graph on the violation types and count. Compliance Program Specialist Amy Kohler explained the civil penalty fee structure, which will be consistent with the electrical and HVAC programs.

◆ **Administrator Report**

Financial Report – Briefly addressed was the Plumbing Board Fund, FY 2018 Financial Statement, as of April 30, 2018.

Statistics – Administrator Chris L. Jensen provided an overview of the Division’s activities in 2017.

Small Scale Reactor Project – On June 6, 2018, Premier Technology held a groundbreaking ceremony for a new facility in eastern Idaho. Estimated is one thousand workers and ten years to complete the project.

◆ **Old/New Business**

Practical Exam – Hearing discrepancies, Board Member Rick Garrett questioned who administers the practical portion of the journeyman exam throughout the state, and if it could be managed through the school system for better control and equality. Hearing no objection, the Chairman requested the Division research this issue and address, as an informational item, the topic *Practical Exam* at the September Board meeting.

ACTION: The topic *Practical Exam* will be added to the September Board meeting agenda as an informational item.

◆ **Adjournment**

Chairman Gardner adjourned the meeting at 12:10 p.m. (MDT)

MATT GARDNER, CHAIRMAN
IDAHO PLUMBING BOARD

CHRIS L. JENSEN, ADMINISTRATOR
DIVISION OF BUILDING SAFETY

DATE

DATE

*These DRAFT minutes are subject to possible corrections and final approve by the Idaho Plumbing Board. 07/19/2018rb

IDAHO PLUMBING BOARD

Agenda Item No. 02

Schedule 2019 Board Meetings

PRESENTER: Matt Gardner, Chairman

OBJECTIVE: Schedule board meetings for 2019.

ACTION: Vote to accept, reject or modify the 2019 meeting dates as proposed under “*Background*”.

BACKGROUND: Based on the 2018 board meetings, selected were the following 2019 dates for the Board’s consideration:

**January 17 (Thursday), March 21 (Thursday), May 16 (Thursday),
and September 19 (Thursday)**

**PROCEDURAL
HISTORY:**

ATTACHMENTS: 2019 Board Meeting Calendar



IDAHO PLUMBING BOARD

Agenda Item No. 03

Practical Exam

PRESENTER: Rick Garrett, Board Member

OBJECTIVE: Exam managed through the school system.

ACTION: Informational

BACKGROUND: September 2018 – Hearing discrepancies, Board Member Rick Garrett questioned who administers the practical portion of the journeyman exam throughout the state, and if it could be managed through the school system for better control and equality. Hearing no objection, the Chairman requested the Division research this issue and address, as an informational item, the topic *Practical Exam* at the September Board meeting.

**PROCEDURAL
HISTORY:**

ATTACHMENTS: No Documentation



IDAHO PLUMBING BOARD

Agenda Item No. 04

Contractor Testing

PRESENTER: Adam Bowcutt, Regional Supervisor

OBJECTIVE: Update exam to include more industry-related questions.

ACTION: Informational

BACKGROUND: January 2018 – A year or two ago, the Board addressed the topic of the contractor licensing exam and whether to replace business questions with more in-depth trade-related questions. At that time, there was no decision. The Plumbing Program Manager asked, and the Board agreed, to research this issue. As part of the exam, a suggestion was to provide a blue print on a multi-story building with 100 mistakes, and have the individual circle the inaccuracies.

June 2018 – The current plumbing contractor exam is four hours, open book, and consists of business questions only. The Plumbing Program Manager asked for further direction on this issue. Suggestions were: 1) Have some business questions, 2) Some business but more in-depth/advanced code and plumbing knowledge, 3) Two-part test, 100 plumbing code questions with select business questions, 4) 50% code and 50% business, 5) Two tests, three hours plumbing and one hour business; 6) Four hours of code and two hours of business, 7) Create master plumber license; and 8) Four-hour master plumber exam and two-hour business exam.

The Board agreed the contractor exam needs both code and business questions. The Plumbing Program Manager will leave the current exam as is and bring details on the plumbing side to the September meeting.

ATTACHMENTS: Supporting Documentation



Plumbing Mathematics Example

A temperature of 212 degrees Fahrenheit is equivalent to _____ °Celsius.

- (A) 180 (C) 273
(B) 100 (D) 212

One square foot contains approximately _____ square inches.

- (A) 144 (C) 36
(B) 100 (D) 48

Doubling the diameter of a pipe will _____.

- (A) double the area (C) increase the area four times
(B) increase friction losses (D) not increase volume flow

The scale on a set of plans states that 1/8 inch = 1 foot. The actual length of a waterline with plan dimensions of 5 inches would be approximately _____ feet.

- (A) 8 (C) 64
(B) 5 (D) 40

The cross-sectional area of a 2 inch diameter pipe is _____ square inches.

- (A) 3.14 (C) 4
(B) 6.28 (D) 2

A cold water pipe is to be offset 4 feet using 45-degree elbows. The length of the diagonal pipe will be _____.

- (A) 5 ft. (C) 5 ft., 7 in.
(B) 8 ft. (D) 6 ft., 6 in.

A 4-inch diameter pipe 100 feet in height is filled to the top with water. The weight at the base of the stack would be _____ pounds.

- (A) 100 (C) 545
(B) 400 (D) 43.4

The area of a circle can be computed by using the formula _____.

- (A) $S=0.7854 D$ (C) $n=3.1416$
(B) $D=1.2732 S$ (D) $A=0.7854 D^2$

The circumference and the area are numerically the same for a circle with a diameter of _____ inches.

- (A) 2 (C) 4
(B) 3 (D) 5


The area of a square is 196 square feet. One side has a length of _____.

- (A) 83 in. (C) 14 ft.
(B) 49 in. (D) 49 ft.

A rectangular tank, including top, 60ft. x 20ft. x 10ft., is to be covered inside with a sheet copper liner. The surface to be covered is approximately _____ square feet.


- (A) 2,800 (C) 3,200
(B) 3,600 (D) 4,000

Water Sizing Example



Pipe Section	Fixture Units	Pipe Size	Pipe Section	Fixture Units	Pipe Size	Pipe Section	Fixture Units	Pipe Size	Pipe Section	Fixture Units	Pipe Size
1-Meter			16			31			46		
2			17			32			47		
3			18			33			48		
4			19			34			49		
5			20			35			50		
6			21			36			51		
7			22			37			52		
8			23			38			53		
9			24			39			54		
10			25			40			55		
11			26			41					
12			27			42					
13			28			43					
14			29			44					
15			30			45					

Waste and Vent Sizing Example



Pipe Section	Fixture Units	Pipe Size	Pipe Section	Fixture Units	Pipe Size	Pipe Section	Fixture Units	Pipe Size
1			16			31		
2			17			32		
3			18			33		
4			19			34		
5			20			35		
6			21			36		
7			22			37		
8			23			38		
9			24			39		
10			25			40		
11			26			41		
12			27					
13			28					
14			29					
15			30					

IDAHO PLUMBING BOARD

Agenda Item No. 05

CE Broker

PRESENTER: Amy Kohler, Compliance Program Specialist

OBJECTIVE: Update on CE Broker's website.

ACTION: Informational

BACKGROUND: March 2018 – Currently, approved classes on CE Broker's website is their own. The Division is working with the company to expand the list to include other CE providers and their courses. A list of CE providers is available on the Division's website. The Chairman asked The Division to provide an update at the June 7, 2018 Board meeting.

June 2018 – C.E. Broker continues to post Idaho approved CEU courses to its website. A first time user expressed the following concerns: 1) Individual, not provider, submitting certificate of course completion; 2) Typically takes 48 hours to post to account; 3) Individual pays for own transcript; and 4) Prior completed courses not recognized by C.E. Broker.

The Chairman asked the Division to investigate into simplifying the CEU process, and bring any findings to the September Board meeting.

PROCEDURAL HISTORY:

ATTACHMENTS: No Documentation



IDAHO PLUMBING BOARD

Agenda Item No. 06

Program Manager Report

PRESENTER: Adam Bowcutt, Regional Supervisor

OBJECTIVE: Provide an update on the Plumbing Program's current activities.

ACTION: Informational

BACKGROUND: This topic is addressed at all regularly scheduled Idaho Plumbing Board meetings.

**PROCEDURAL
HISTORY:**

ATTACHMENTS: Cleanouts



Clean outs

34. Section 707.4 Locations. Delete and add the following: Each horizontal drainage pipe shall be provided with a cleanout at its upper terminal, and each run of piping, that is more than one-hundred (100) feet (30,480 mm) in total developed length, shall be provided with a cleanout for each one-hundred (100) feet (30,480 mm), or fraction thereof, in length of such piping. An additional cleanout shall be provided in a drainage line for each aggregate horizontal change in direction exceeding one-hundred-thirty-five (135) degrees (2.36 rad). A cleanout shall be installed above the fixture connection fitting, serving each urinal, regardless of the location of the urinal in the building. A clean out shall be installed for double sanitary tees two (2) inches (50 mm) or less in diameter that receive the discharge from fixture connections; the exceptions in Section 707.4 shall not apply. A full-sized accessible cleanout shall be installed in the vertical immediately above the floor or at the base of each waste or soil stack. An approved, full-size, two-way cleanout extending to or above the finished grade line shall be installed at the junction of the building drain and the building sewer. Cleanouts shall be installed at fifty (50) foot intervals on a horizontal drain line two (2) inches or smaller. ()

a. Exceptions: ()

i. Cleanouts shall be permitted to be omitted on a horizontal drain line less than 5 feet (1524 mm) in length unless such line is serving sinks or urinals. ()

ii. Cleanouts shall be permitted to be omitted on a horizontal drainage pipe installed on a slope of 72 degrees (1.26 rad) or less from the vertical angle (one-fifth bend). ()

iii. Excepting the building drain, its horizontal branches, and urinals, a cleanout shall not be required on a pipe or piping that is above the floor level of the lowest floor of the building. ()

iv. If the total developed length of the waste line is less than one-hundred (100) feet, a water closet shall be permitted to be substituted for an upper terminal cleanout or a base of stack cleanout. ()

IDAHO PLUMBING BOARD

Agenda Item No. 07

Compliance Program Report

PRESENTER: Amy Kohler, Compliance Program Specialist

OBJECTIVE: Provide an update on the statewide compliance program.

ACTION: Informational

BACKGROUND: This topic is addressed at all regularly scheduled Idaho Plumbing Board meetings.

**PROCEDURAL
HISTORY:**

ATTACHMENTS: First Journeyman Attempt Report and NOV Code Case Report



PLUMBING 2018 1ST EXAM


PLB 2018	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TTL	%
CSI	T	0	0	1	2	0	0	0	0				3	67%
	P	0	0	0	2	0	0	0	0				2	
CWI	T	3	1	2	6	6	2	3	0				25	76%
	P	3	1	2	6	1	2	3	0				19	
EITC	T	1	0	0	4	1	3	1	0				10	60%
	P	1	0	0	3	1	1	0	0				6	
OOS JATC	T	0	0	0	2	0	0	0	0				2	50%
	P	0	0	0	1	0	0	0	0				1	
ISU	T	0	0	0	0	0	0	1	1				2	0%
	P	0	0	0	0	0	0	1	0				1	
JATC EAST	T	0	0	0	0	0	0	0	0				0	0%
	P	0	0	0	0	0	0	0	0				0	
JATC SW	T	4	2	5	2	1	4	1	0				19	63%
	P	3	1	4	0	1	2	1	0				12	
LCSC	T	1	0	0	1	0	0	0	0				2	100%
	P	1	0	0	1	0	0	0	0				2	
NIC	T	2	2	0	0	3	0	1	1				9	67%
	P	0	2	0	0	2	0	1	1				6	
PREV HELD	T	0	2	0	3	2	1	1	0				9	44%
	P	0	0	0	1	2	1	0	0				4	
OOS	T	1	2	3	3	3	1	4	2				22	50%
	P	0	1	2	1	1	1	1	2				11	
TOTAL	T	12	9	10	14	13	11	12	4	0	0	0	103	62%
	P	8	5	7	6	16	7	7	3	0	0	0	64	
%		67%	56%	70%	43%	38%	64%	58%	75%	0%	0%	0%	62%	



PLB% NOV Activity by Date

ICSlakohler 9/11/2018 2:39:52 PM
From 6/1/2018 to 9/11/2018

14 Cases 16 Violations



CASE NO	STARTED	CLOSED	Case Type	FEES CHARGED	FEES PAID	BALANCE DUE	STATUS	OFFENDER COMPLAINANT
PLB1806-0001 NAMPA	6/6/2018	6/28/2018	NOV	\$0.00	\$0.00	\$0.00	WARNING	JOHANSEN PLUMBING TOM MEAD - CITY OF NAMPA
VIOLATION: PLB Unlicensed Individual								
PLB1806-0002 MONTPELIER	6/11/2018	7/25/2018	NOV	\$0.00	\$0.00	\$0.00	WARNING	JOSH JENSEN
VIOLATION: PLB Unlicensed Individual								
PLB1806-0003 IDAHO FALLS	6/12/2018	7/6/2018	NOV	\$100.00	\$100.00	\$0.00	PAID	Westside Plbg & Repair
VIOLATION: PLB Failure to Correct								
PLB1807-0001 RATHDRUM	7/13/2018	8/2/2018	NOV	\$0.00	\$0.00	\$0.00	WARNING	Sandra Cozzetto
VIOLATION: PLB Unlicensed Contractor								
PLB1807-0002 LACLEDE	7/17/2018		NOV	\$0.00	\$0.00	\$0.00	ACTIVE	KG & T SEPTIC SERVICE
VIOLATION: PLB Warning								
PLB1807-0003 ATHOL	7/23/2018		NOV	\$100.00	\$0.00	\$100.00	ACTIVE	WILLIAM HENNIG
VIOLATION: PLB Failure to Correct								
PLB1807-0004 RATHDRUM	7/13/2018	8/2/2018	NOV	\$0.00	\$0.00	\$0.00	WARNING	GRADYS MR FIXIT

VIOLATION: PLB Unlicensed Contractor
 VIOLATION: PLB Unlicensed Individual

PLB1808-0001 COEUR D ALENE	8/1/2018	NOV	\$600.00	\$0.00	\$600.00	ACTIVE	JOSH LIBRANDE DBA AMERICAN CONSTRUCTION MARIE SUNSERI
--------------------------------------	----------	-----	----------	--------	----------	--------	---

VIOLATION: PLB Unlicensed Contractor
 VIOLATION: PLB Unlicensed Individual

PLB1808-0002 WORLEY	8/13/2018	NOV	\$0.00	\$0.00	\$0.00	ACTIVE	Nicolas Biondo
-------------------------------	-----------	-----	--------	--------	--------	--------	-----------------------

VIOLATION: PLB Failure to Correct

PLB1808-0003 NAMPA	8/24/2018	NOV	\$600.00	\$600.00	\$0.00	APPEAL	MAGIC PLUMBING CITY OF NAMPA - TOM MEAD
------------------------------	-----------	-----	----------	----------	--------	--------	---

VIOLATION: PLB Unlicensed Individual

PLB1809-0001 WESTON	9/10/2018	NOV	\$0.00	\$0.00	\$0.00	ACTIVE	Andrew Woods
-------------------------------	-----------	-----	--------	--------	--------	--------	---------------------

VIOLATION: PLB Unlicensed Contractor

PLB1809-0002 POCATELLO	9/11/2018	NOV	\$0.00	\$0.00	\$0.00	PENDING	B&S BOILER INC
----------------------------------	-----------	-----	--------	--------	--------	---------	---------------------------

VIOLATION: PLB Unlicensed Individual

PLB1809-0003 POCATELLO	9/11/2018	NOV	\$0.00	\$0.00	\$0.00	PENDING	TRAVIS KAY HALL
----------------------------------	-----------	-----	--------	--------	--------	---------	------------------------

VIOLATION: PLB Unlicensed Individual

PLB1809-0004 POCATELLO	9/11/2018		NOV	\$0.00	\$0.00	\$0.00	PENDING	JEREMIAH EVERET BYINGTON
VIOLATION: PLB Unlicensed Individual								
Total Cases: 14								
				\$1400.00	\$700.00	\$700.00		

IDAHO PLUMBING BOARD

Agenda Item No. 08

Administrator

PRESENTER: Chris L. Jensen, Administrator

OBJECTIVE: Provide an overview of the Division's current activities.

ACTION: Informational

BACKGROUND: This topic is addressed at all regularly scheduled Idaho Plumbing Board meetings.

PROCEDURAL HISTORY:

ATTACHMENTS: No Documentation



IDAHO PLUMBING BOARD

Agenda Item No. 08a

Financial Report

PRESENTER: Chris L. Jensen, Administrator

OBJECTIVE: Review the Idaho Plumbing Board Financial Report.

ACTION: Informational

BACKGROUND: This topic is addressed at all regularly scheduled Idaho Plumbing Board meetings.

**PROCEDURAL
HISTORY:**

ATTACHMENTS: Financial Report





Division of Building Safety
 IDAHO PLUMBING BOARD FUND 0229-03
 Fiscal Year 2019 Financial Statements
 As of 08/31/2018



Statement of Revenues and Expenditures

Class	Budget	Fiscal Year To Date	YTD as a % of Budget	Remaining Budget	Projected for Remainder of Year	Projected Year End Totals	Projected Total as a % of Budget
Revenues:	2,160,787	508,201	23.5%	1,652,585	1,984,281	2,492,482	115.4%
Expenditures							
Personnel:	1,613,500	266,930	16.5%	1,346,570	1,468,116	1,735,047	107.5%
Operating:	354,800	69,083	19.5%	285,717	256,956	326,039	91.9%
Capital:	192,487	949	0.5%	191,537	191,537	192,487	100.0%
Total Expenditures	2,160,787	336,962	15.6%	1,823,824	1,916,610	2,253,572	104.3%
Net for FY 2019	-	171,239			67,671	238,910	

Statement of Cash Balance

	Fiscal Year to Date Revenues	Fiscal Year to Date Expenditures and Encumbrances	Other Changes in Cash	Available Cash as of August 31, 2018	Projected Change in Cash for Remainder of Year	Projected Year End Available Cash
July 1, 2018 Beginning Cash Available	508,201	(336,962)	4,535	2,534,265	67,671	2,601,935

IDAHO PLUMBING BOARD FUND 0229-03



IDAHO PLUMBING BOARD FUND 0229-03

